

September 8, 2016 11-7 Shift Notes

#### **BASF EMPLOYEES**

294 Last Recordable 354 Last Lost time

Title V Notes: CTO-Ammonia tank overfilled. Shut the manual valve at the tote. Valve was reopened after tote came back down. Need to watch next fill closely.

<u>Trimer</u> – Trimer working properly. Continue. Had issues on afternoons with sump level switch. Got it going again.

<u>B9 Sump</u> – Found that someone had left safety shower on and the sump had overflowed. The Chrome scrubber was also bone dry. Refilled and running now.

<u>F1</u> – Floor CRT needs to pump off half a tote per day (2<sup>nd</sup> shift) to control Moly level. Blower belts have been changed. Found something stuck in damper. Got out continue.

 $\underline{F2}$  – Need to check each shift. Verify that Water valve is about  $\frac{1}{4}$  open. Currently running on a constant overflow due to pH issues.

Sly - Blower motor is getting loud - WOW.

NOx/CO system - Alrighty lately.

#8 DC – DL Page is done vacuuming out but some material fell down into the cartridges. May need to remove and clean before starting up.

# **Work To Be Done in the Department:**

- Need to get the Cu 1230 repacked (waiting on Scrubber modifications)
- Need to verify that the partial drum of E230 was repacked.
- Cleaning on the 3<sup>rd</sup> floor. Get rid of material in wheelbarrow by line 3.
- Verify #8 DC is working. Need operators to clean material out of cartridges.

N

#### #1 MED / D 1780:

Limit switch issue repaired. Bin vent cleaned out. Plan is to run the hoppers empty. See Andrea's e-mail for details.

Last couple batches before repairs ran poorly and bags were set aside (should we calcine?).

Also looking into having the dryer bed interlocked with the burners, so when they kick out the dryer stops. Rob T has been contacted, will probably need an MOC for this mod.

Locked out the diverter valve to the calciner hopper.

### #1 RC / Cu 0865:

CONFIDENTIAL BASF\_114\_016354

Running continue. After we are done feeding new material (L166 next) and refires (L117 B1-6) we need to refeed some old material with the calciner just on pilots.

Be sure to clean tops of bags before hanging above hopper. Tape labels onto finished drums. Need one 32oz sample per pallet (do not need whirlpack per drum).

The bags must be fed to the calciner in bag order. Remember to use the log sheet every time you hang a bag.

## #2 MED line / Styrene is next:

Spiral repaired. Continue making batches as needed to keep up feeding the calciner. 15 bags ahead of the calciner. We need to change the inserts every two batches.

#### #2 RC / S6-42:

Continue. There is no bladder in stock for the bag rack currently.

#### #3 MED line / D-1780 LAQ:

Continue. WOW for exposed wires by the mixer.

Grease the mixer EVERY shift.

Do not send extra powder, use purge function instead (we keep getting material build up in the filter receiver).

### #3 RC / D-1780 LAQ:

Continue.

Make sure to seal pouches on labels (we have had a few fall out).

### #4 RC / Ni-4322 Next:

Continue running.

Do not let the hopper run low, feed rate on calciner will be affected. Keep an eye on this product and the Trimer due to high NOx.

#### #5 RC / Cu 0539 Next:

Lit and at temp. Having problem getting suction on #5 - needs further investigation. Did not get to on mids. Needs to be worked on at mids. 5A Temp damper??

Need after filter replaced. Keep dust collectors locked out until then. When running, feed Hopper should not be filled past 2 feet below the top to allow room for blowdowns. HEPA filter was last changed out 6-11-16 on day shift.

# #6 RC & Dryer / Clean:

System is locked out and cleaning has started. Hoping to start product Thur/Fri.

CONFIDENTIAL BASF\_114\_016355

Please make sure all bags are labeled on both sides and the tops have been wire tied closed. Also all bags must be check weighed.

### West Pfaudler / Ni 4322 1/8:

Lid has been pulled. Pfaudler has been washed.

#### East Pfaudler / Clean:

Rinsed out and lid reinstalled. Area around the top of the pfaudler has been cleaned.

Keep an eye on the vacuum and temperature of the green tank on 1<sup>st</sup> floor (manually add water if it gets too hot - try and just crack the valve or we end up sending a lot of water to WWTP).

## 6 Tank / Ni 4322 (Nickel nitrate):

To be fixed this week. Attempted to pump into a tote, but lines and pump are plugged with crystalized nickel nitrate. When we get them unplugged we need to pump into a tote, rinse it down and pump rinse into tote.

## 7 Tank / Ni 4322 (Nickel Nitrate):

Tank was emptied and rinsed.

## National Dryer / Ni 4322:

Feed hopper area was cleaned on afternoons.

### PK Blender / Pill mix:

Clean out building 9 of pill mix supplies. Clean blender.

Contact Group Leader before using any water in building 9 or before unlocking sumps. They have all been locked out with Blue operational locks.

Check bag house DP before starting each batch.

Flow meter is installed but not calibrated yet. DO NOT USE

DP Gauge should be set at 3.5 and 4.25.

# Abbe Blender:

Need to get Ni staged. List of things that need accomplished sent out by Justin. Abbe has been rinsed (the tank and the lines).

# Tower 3 / Cu 1155:

Tower has been loaded and is running.

## Tower 6 / Zn 0313:

Tower is down. Tower has been washed down. Mazella fixed the chain basket.

# North Screener / ?:

According to Kristen start up items are complete. Can start setting up for the Zn run.

### South Screener / Cu 1155:

Continue to man screener.

Kristen is getting a new valve in for the alcohol.

Stretch wrapper is working. Please wrap your drums as full pallets are made.

See GL or Kristen for quick informational session on how to operate.

If you wash down drums with water you need to dry them off – the green drums are very prone to rust.

## #2662 (west) Pill Machine / Al 3915:

Out of feed. Cleaning as able.

## #2664 (east) Pill Machine / AL 3915:

Out of feed. Cleaning as able.

TK #2 / ?:

Down.

TK #4 / Cu-2508:

Continue.

# Harrop Kiln / Al-3920:

Kiln is down.

## Building 27 Belt Filter / Cu 5020:

Still need to run out strike. Dryer plugged on afternoon shift. Working on cleaning it out. Will need personnel over there to clean tanks 5 and 6 for the nickel impregs.

Do not use the taller, thinner cardboard sleeves, those are for LIB.

We have switched to 188 lined super sacks. These will need cardboard sleeves around them and new clean pallets.

Top 11 are important enough to keep running and staffed, top 7 cannot afford to have additional production interruptions.

- 1) #4 RC/Trimer/Abbe (starting later next week)/National Dryer
- 2) #1 RC South (Cu-0865 T)
- 3) #6 RC/East Pfaudler
- 4) #5 RC/Trimer
- 5) #1 RC North
- 6) North CUAPV (to keep #1 RC North running)
- 7) Reduction Towers/Screening
- 8) #3 MED/RC/CTO Use #1 MED if #3 MED has any issues in keeping up with #3RC

CONFIDENTIAL BASF 114 016357

- 9) #2 MED/RC
- 10) South Precip/APV11) Ross Mixer/#4 Tunnel Kiln
- 12) Briq/East Blender/PR2 for Cu-0537 T

CONFIDENTIAL BASF\_114\_016358